Certificate

Certified Passive House component for cool, temperate climate, valid until 31.12.2023

Category: Facade anchor Manufacturer: EJOT Austria GmbH & Co KG Voitsberg, Österreich Product name: CROSSFIX claw

The following criteria were used in awarding this certificate:

Efficiency Criterion

In a typical application*, the construction fulfills the requirements of

Eff.fa ≤ 0.200 W/(kNK)

Comfort Criterion

The inner surface must be warm enough to prevent mold as well as uncomfortable down-drafts and radiation losses.

θ_{i,min} ≥ 17°C

Thermal data of the certified component


CROSSFIX claw	Thermal bridge coefficient	Minimum interior surface temperature		
	χ [W/K]	θ _{i,min} [°C]		
FP 6cm + 18 cm	0.0063	19.26		
SP 6cm + 18 cm	0.0063	19.26		
FP 16cm + 8 cm	0.0056	19.26		
SP 16cm + 8 cm	0.0056	19,26		

The system is used for the renovation; the details relate to the insulation thickness of the existing insulation as well as that of the additionally newly applied insulation.


* The criterion has been validated with a representative facade of a school building

www.passivehouse.com

Passive House Institute 64283 Darmstadt GERMANY



Isothermal map 6 cm + 18 cm



Isothermal map 16 cm + 8 cm



Representation



1751fa03

Data sheet EJOT Austria GmbH & Co KG, CROSSFIX claw

Manufacturer EJOT Austria GmbH & Co KG Grazer Vorstadt 146, 8570 Voitsberg, Österreich Tel.: +43 3142 27 600 76 http://www.ejot.at/



Criteria validated based on reference	Δ _U [W/m²K]	
facade		
LC III	0.0118	
LC V	0.0163	

In order to validate the suitability, the manufacturer provides a statical calculation and an associated installation plan for the reference facade.

Loadclass / Facade-weight		Thermal bridge coefficient [W/K]		Quantity /m ²	[W/m²K]	[W/(kNK)]
LC / Material	[kN/m²]	X _{FP}	X _{SP}	FP/GP	ΔU	Eff. fa
5 (6+18 cm)	0,30	0,0063	0,0063	2,90	0,0183	0,0610
5 (16 + 8 cm)	0,30	0,0056	0,0056	2,90	0,0163	0,0545



Installation-plan reference facade of the certified component (LC V)

Load-class (LC)	Facade cladding	Facade weight [kN/m ²]	Efficiency criterion fulfilled?
I	Aluminium laminated	0.10	yes
II	Plastic	0.15	yes
ш	Fiber-cement plates	0.20	yes
IV	Acrylic glass	0.25	yes
v	Ceramics	0.30	yes
VI	Stone	0.55	not evaluated

The classification criteria and the load class allocation can be found in the current criteria "Zertifizierte Passivhaus Komponente – Fassadenanker, Version 2.1, 27.05.2021".