

Failure is not an option

As a leader in the industry, we understand that every watt of power consumption matters, not only to sign makers, but to their clients as well. Quality control, rigorous testing, and product safety are top priority at SloanLED.

Benefits of choosing SloanLED:

Innovation

We design, test, and deliver comprehensive solutions that factor in total cost of ownership, maximum ROI, and a positive customer experience.

Quality

We're a proven industry leader with more than 60 years experience producing safe, reliable lighting solutions.

Reliability We use only the highest caliber components for long lasting

lighting solutions that deliver exceptional performance.

Sustainability

Our lighting solutions represent significant energy cost reductions, easy installation, faster ROI, and unsurpassed value.

Safety and compliance.

Safety and environmental impact are important to us, and our power supplies meet stringent safety requirements, and international agency standards.

24 VDC Power Supplies* – Compatible with SloanLED 24 VDC products

| 24 VDCF OWE Supplies - Companie Walt Stoale D24 VDC products | | | | | | | | | |
|--|--------------|-----------------------|--------------------|-----------------------------------|------------------------------|------------------|--|--|--|
| Model | Part number | Nominal input voltage | Max. input current | Power output | Location rating | Protection class | | | |
| 24C1 100 W | 701895-24C1 | 100-277 VAC, 50-60 Hz | 1.40 A | 100 W @ 24 VDC, Class 2 output | Dry, damp, and wet locations | IP68 | | | |
| 24S1 100 W | 701895-2451 | 100-277 VAC, 50-60 Hz | 1.40 A | 96 W @ 24 VDC, Class 2 output | Dry and damp locations | IP64 | | | |
| 300T1 300 W | 701895-300T1 | 100-277 VAC, 50-60 Hz | 4.0 A | 3 × 96 W @ 24 VDC, Class 2 output | Dry and damp locations | IP54 | | | |
| Compact 24/40 W | 410175 | 100-277 VAC, 50-60 Hz | 0.60 A | 40 W @ 24 VDC, Class 2 output | Dry and damp locations | IP67 | | | |


Accessorie

| Product | Part number | Description | |
|----------------------------------|-------------|---|--|
| Universal LED Wireless Dimmer | 601115 | Wireless controllable dimming for SloanLED 12/24 VDC power supplies | |

T. I. I.

Power and reliability.

SloanLED provides high-efficiency, long lasting lighting solutions, but there's more to an installation than just the LED modules. Power supplies account for only 20% of the cost of an installation, and compromising on quality may save a few dollars, but puts the overall dependability and safety of the entire installation at risk.



24C1 100 W 24S1 100 W 300T1 300 W 60C2 60 W COMPACT 12/25 W

- Auto-resetting No fuses to replace or circuit breaker to reset — Short circuit protection automatically resets when short condition is corrected
- Simple secondary hook-ups
 No minimum load or load
 balancing required
- 60W3 60 W
- Auto-resetting No fuses to replace or circuit breaker to reset
- Short circuit and over-current protection circuit automatically resets when condition is corrected.
- Rugged and compact

12 VDC Power Supplies* — Compatible with SloanLED 12 VDC products

| Model | Part number | Nominal input voltage | Max. input current | Power output | Location rating | Protection class |
|-----------------|--------------|-----------------------|--------------------|---|------------------------------|------------------|
| Compact 12/25 W | 410174 | 100-240 VAC, 50-60 Hz | 0.40 A | 25 W @ 12 VDC, Class 2 output | Dry and damp locations | IP67 |
| 60C2 60 W | 701507-60C2 | 100-240 VAC, 50-60 Hz | 0.80 A | 60 W @ 12 VDC, Class 2 output | Dry and damp locations | IP66 |
| 60W3 60 W | 701507-60W3 | 100-240 VAC, 50-60 Hz | 0.80 A | 60 W @ 12 VDC, Class 2 output | Dry, damp, and wet locations | IP68 |
| 120D1 120 W | 701507-12001 | 100-240 VAC, 50-60 Hz | 1.70 A | 120 W @ 12 VDC, two (2) Class 2 outputs | Dry and damp locations | IP54 |

^{*} Configured for Class 2 Out

2 For more information on SloanLED Power Supplies, visit SloanLED.com.

No matter where you are.

We've got you covered.

From Alaska to Australia, with 150+ employees, and the best global coverage in the industry, we've got you covered.



805.676.3200 • info@SloanLED.com

SloanLED Europe b.v.





